

SUMMARY FOR MARKET AREA: WACO

TX

Total Access Lines in: WACO Total = 3652

Percentage Availability of ONA Services By Date for Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	85%	85%	85%	85%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	85%	85%	85%	85%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	85%	85%	85%	85%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	85%	85%	85%	85%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	85%	85%	85%	85%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	85%	85%	85%	85%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	62%	62%	62%	62%
CNS	CF - Variable	Variable Cl Fwd'g	85%	85%	85%	85%
CNS	CF Var Act w/o Crty Cal	Variable Call Forwarding	0%	0%	0%	0%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	85%	85%	85%	85%
CNS	Call Waiting - Cancel	Cancel Call Waiting	85%	85%	85%	85%
CNS	Clbg DA Deliv via ICLID	Caller ID	85%	85%	85%	85%
CNS	Customer Originated Trace	Call Tracing Service	85%	85%	85%	85%
CNS	Distinctive Ringing	VIP Alert	85%	85%	85%	85%
CNS	Dist Ring Term Screen	Smart Ring	85%	85%	85%	85%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	85%	85%	85%	85%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	85%	85%	85%	85%
CNS	Selective Call Forward'g	Special Call Forwarding	85%	85%	85%	85%
CNS	Selective Call Rejection	Call Block	85%	85%	85%	85%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	85%	85%	85%	85%
CNS		Busy Number Redial	85%	85%	85%	85%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	85%	85%	85%	85%
CNS	Call Waiting	Call Waiting	85%	85%	85%	85%
CNS	Three Way Calling	Three Way Calling	85%	85%	85%	85%
CNS	Remote Call Forwarding	Remote Call Forwarding	85%	85%	85%	85%
CNS		Cl Fwd'g Fixed-All clls	85%	85%	85%	85%
CNS		Cl Fwd Bsy No Ans.Fixed	85%	85%	85%	85%
CNS		Special Call Waiting	85%	85%	85%	85%
CNS		Special Call Acceptance	85%	85%	85%	85%
CNS		Anonymous Call Rejection	85%	85%	85%	85%
CNS		Blld No. Screen'g (BNS)	85%	85%	85%	85%
CNS		Call Restriction Service	85%	85%	85%	85%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	23%	23%	23%	23%

SUMMARY FOR MARKET AREA: WASHINGTON DC

VA

al Access Lines in: WASHINGTON DC Total = 194490

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	85%	85%	85%	84%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	85%	85%	85%	84%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100%	100%	100%	100%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	95%	95%	95%	94%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	57%	56%	55%	54%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	90%	90%	90%	90%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	40%	39%	38%	37%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	85%	85%	85%	84%
BSE	Fast Select Request Pkt	Fast Select	85%	85%	85%	84%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	97%	97%	98%	98%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	97%	97%	98%	98%
BSE	Cllg Bllg Num Deliv FGB	Automatic No.ID	97%	97%	98%	98%
BSE	Cllg Bllg Num Deliv FGD	Automatic No.ID	30%	30%	30%	30%
BSE	Cllg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	97%	97%	98%	98%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	73%	73%	73%	73%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	71%	71%	71%	71%
BSE	Multiline Hunt Group	Hunt Group Arrangement	73%	73%	73%	73%
BSE	MLNG-UCD Line Hunting	Uniform Call Distribution	73%	73%	73%	73%
BSE	MLNG - UCD With Queuing	Queuing	70%	70%	70%	70%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	97%	97%	98%	98%
BSE		Blld Mo. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	85%	85%	85%	84%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	85%	85%	85%	84%
CNS	Fast Select Accept Pkt	Fast Select	85%	85%	85%	84%
CNS	Fast Select Request Pkt	Fast Select	85%	85%	85%	84%
	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: WASHINGTON DC

VA

Local Access Lines in: WASHINGTON DC Total = 194490

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	70%	70%	70%	70%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	2%	2%	2%	2%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	ClIg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	73%	73%	73%	73%
CNS	Selective Call Forward'g	Special Call Forwarding	73%	73%	73%	73%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
	Speed Calling	Speed ClIg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		ClI Frwd'g Fixed-All clls	100%	100%	100%	100%
CNS		ClI Frwd Bsy No Ans.Fixed	73%	73%	73%	73%
CNS		Special Call Waiting	98%	98%	98%	98%
CNS		Special Call Acceptance	98%	98%	98%	98%
CNS		Anonymous Call Rejection	98%	98%	98%	98%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	4%	4%	4%	4%

SUMMARY FOR MARKET AREA: WAUSAU

WI

Local Access Lines in: WAUSAU

Total = 51674

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicated Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	97%	97%	97%	97%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	82%	82%	82%	82%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	47%	47%	46%	46%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	81%	81%	81%	81%
BSA	Dedicated Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	57%	57%	57%	57%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Ctr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	75%	75%	75%	74%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clg Bllg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clg Bllg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLNG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLNG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	100%	100%	100%	100%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: WAUSAU

WI

al Access Lines in: WAUSAU

Total = 51674

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100%	100%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clig DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
	Speed Calling	Speed Clig - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	100%	100%	100%	100%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	75%	75%	75%	74%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: WHEELING

OH

al Access Lines in: WHEELING

Total = 1843

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100%	100%	100%	100%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	0%	0%	0%	0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	100%	100%	100%	100%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	0%	0%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	0%	0%	100%	100%
BSE	Clg Bllg Num Deliv FGB	Automatic No.ID	0%	0%	100%	100%
BSE	Clg Bllg Num Deliv FGD	Automatic No.ID	0%	0%	0%	0%
BSE	Clg DA Deliv via ICLID	Caller ID	0%	0%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	0%	0%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0%	0%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	0%	0%	0%	0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0%	0%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0%	0%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	0%	0%	100%	100%
BSE	Three Way Call Transfer	User Transfer	0%	0%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	0%	0%	100%	100%
BSE	Route Diversity	Diversity Routing	0%	0%	100%	100%
BSE		Bld No. Screen'g (BNS)	0%	0%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
LWS	Automatic Callback	Automatic Busy Redial	0%	0%	100%	100%
CNS	Automatic Recall	Automatic Call Return	0%	0%	100%	100%

SUMMARY FOR MARKET AREA: WHEELING

OH

cal Access Lines in: WHEELING Total = 1843

Percentage Availability of DNA Services By Date for

Total

Type	Generic Name of DNA Serv	Product Name of DNA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	0%	0%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	0%	0%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0%	0%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0%	0%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	0%	0%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	0%	0%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0%	0%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	0%	0%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0%	0%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	0%	0%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0%	0%	100%	100%
CNS	Clig DA Deliv via ICLID	Caller ID	0%	0%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	0%	0%	100%	100%
CNS	Distinctive Ringing	VIP Alert	0%	0%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	0%	0%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0%	0%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	0%	0%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	0%	0%	100%	100%
CNS	Selective Call Rejection	Call Block	0%	0%	100%	100%
S	Speed Calling	Speed Clig - 8 & 30 Nos.	0%	0%	100%	100%
S		Busy Number Redial	0%	0%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	0%	0%	100%	100%
CNS	Call Waiting	Call Waiting	0%	0%	100%	100%
CNS	Three Way Calling	Three Way Calling	0%	0%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	0%	0%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	0%	0%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	0%	0%	100%	100%
CNS		Special Call Waiting	0%	0%	0%	0%
CNS		Special Call Acceptance	0%	0%	0%	0%
CNS		Anonymous Call Rejection	0%	0%	0%	0%
CNS		Bld No. Screen'g (BNS)	0%	0%	100%	100%
CNS		Call Restriction Service	0%	0%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	0%	0%	100%	100%

SUMMARY FOR MARKET AREA: WICHITA FALLS

TX

al Access Lines in: WICHITA FALLS Total = 1605

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	60%	59%	59%	59%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	0%	0%	0%	0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	0%	0%	0%	0%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	12%	12%	12%	12%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	12%	12%	12%	12%
BSE	Cllg Bllg Num Deliv FGB	Automatic No.ID	12%	12%	12%	12%
BSE	Cllg Bllg Num Deliv FGD	Automatic No.ID	40%	41%	100%	100%
BSE	Cllg DA Deliv via ICLID	Caller ID	40%	41%	100%	100%
BSE	CKR Select On Ryse Chrg	800 Service	12%	12%	12%	12%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	40%	41%	100%	100%
BSE	MWI- Activation Audible	Msg Waiting Indica. Audibl	40%	41%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	40%	41%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	40%	41%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	12%	12%	12%	12%
BSE	Three Way Call Transfer	User Transfer	40%	41%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	40%	41%	100%	100%
BSE	Route Diversity	Diversity Routing	12%	12%	12%	12%
BSE		Bldd No. Screen'g (BNS)	40%	41%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	12%	12%	12%	12%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	40%	41%	100%	100%
CNS	Automatic Recall	Automatic Call Return	40%	41%	100%	100%

SUMMARY FOR MARKET AREA: WICHITA FALLS

TX

Local Access Lines in: WICHITA FALLS Total = 1605

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	40%	41%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	40%	41%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	40%	41%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	40%	41%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	40%	41%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	40%	41%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	12%	12%	12%	12%
CNS	CF - Variable	Variable Cl Fwd'g	40%	41%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	12%	12%	12%	12%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	40%	41%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	40%	41%	100%	100%
CNS	Clig DA Deliv via ICLID	Caller ID	40%	41%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	40%	41%	100%	100%
CNS	Distinctive Ringing	VIP Alert	40%	41%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	40%	41%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	40%	41%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	40%	41%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	40%	41%	100%	100%
CNS	Selective Call Rejection	Call Block	40%	41%	100%	100%
	Speed Calling	Speed Clig - 8 & 30 Nos.	40%	41%	100%	100%
		Busy Number Redial	40%	41%	100%	100%
CNS		Saved Number Redial	12%	12%	12%	12%
CNS		Last Number Redial	40%	41%	100%	100%
CNS	Call Waiting	Call Waiting	40%	41%	100%	100%
CNS	Three Way Calling	Three Way Calling	40%	41%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	40%	41%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	40%	41%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	40%	41%	100%	100%
CNS		Special Call Waiting	40%	41%	100%	100%
CNS		Special Call Acceptance	40%	41%	100%	100%
CNS		Anonymous Call Rejection	40%	41%	100%	100%
CNS		Blld No. Screen'g (BNS)	40%	41%	100%	100%
CNS		Call Restriction Service	40%	41%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	12%	12%	12%	12%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	40%	41%	100%	100%

SUMMARY FOR MARKET AREA: WILLIAMSPORT

PA

al Access Lines in: WILLIAMSPORT Total = 5889

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	56%	57%	57%	57%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	33%	33%	33%	33%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	0%	0%	0%	0%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
-	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
-	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clbg Blg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg Blg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg DA Deliv via ICLID	Caller ID	0%	0%	0%	0%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0%	0%	0%	0%
BSE	MWI- Activation Audible	Msg Waiting Indica. Audibl	0%	0%	0%	0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Bldd No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
LWS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: WILLIAMSPORT

PA

al Access Lines in: WILLIAMSPORT Total = 5889

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100%	100%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	0%	0%	0%	0%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	0%	0%	0%	0%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	0%	0%	0%	0%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
	Speed Calling	Speed Clbg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: YAKIMA

WA

al Access Lines in: YAKIMA Total = 1462

Percentage Availability of ONA Services By Date for Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	65%	65%	65%	66%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	65%	65%	65%	66%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	65%	65%	65%	66%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Ctr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	0%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	0%	0%	0%	0%
BSE	Clbg Bllg Num Deliv FGB	Automatic No.ID	0%	0%	0%	0%
BSE	Clbg Bllg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	0%	0%	0%	0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	0%	0%	0%	0%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	0%	0%	0%	0%
BSE		Bldd No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: YAKIMA

WA

All Access Lines in: YAKIMA

Total = 1462

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0%	0%	0%	0%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0%	0%	0%	0%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Bld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: YOLO

CA

al Access Lines in: YOLO

Total = 592

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	100%	100%	100%	100%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	0%	0%	0%	0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	100%	100%	100%	100%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	0%	0%	0%	0%
BSE	Clbg Bllg Num Deliv FGB	Automatic No.ID	0%	0%	0%	0%
BSE	Clbg Bllg Num Deliv FGD	Automatic No.ID	0%	0%	0%	0%
BSE	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	0%	0%	0%	0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	0%	0%	0%	0%
BSE	Three Way Call Transfer	User Transfer	0%	0%	0%	0%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	0%	0%	0%	0%
BSE		Bld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: YOLO

CA

al Access Lines in: YOLO Total = 592

Percentage Availability of ONA Services By Date for Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0%	0%	0%	0%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0%	0%	0%	0%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	ClIg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed ClIg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		ClI Frwd'g Fixed-All clls	100%	100%	100%	100%
CNS		ClI Frwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	0%	0%	0%	0%
CNS		Blld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: YORK

PA

Access Lines in: YORK Total = 170420

Percentage Availability of ONA Services By Date for Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	92%	92%	92%	92%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	92%	92%	92%	92%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	96%	96%	96%	96%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	94%	94%	94%	94%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	25%	25%	25%	25%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	91%	91%	91%	91%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	44%	45%	45%	45%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Sw'd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	92%	92%	92%	92%
BSE	Fast Select Request Pkt	Fast Select	92%	92%	92%	92%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
-	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
-	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	100%	100%	100%	100%
BSE	Clbg Blg Num Deliv FGB	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg Blg Num Deliv FGD	Automatic No.ID	100%	100%	100%	100%
BSE	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	100%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	100%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	100%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	100%	100%	100%	100%
BSE		Blld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	92%	92%	92%	92%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	100%	100%	100%	100%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	92%	92%	92%	92%
CNS	Fast Select Accept Pkt	Fast Select	92%	92%	92%	92%
CNS	Fast Select Request Pkt	Fast Select	92%	92%	92%	92%
	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: YORK

PA

al Access Lines in: YORK

Total = 170420

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	100%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	100%	100%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100%	100%	100%	100%
CNS		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	100%	100%	100%	100%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	100%	100%	100%	100%
CNS		Bld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	100%	100%	100%	100%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: YOUNGSTOWN-WARREN OH

al Access Lines in: YOUNGSTOWN-WARREN Total = 4234

Percentage Availability of ONA Services By Date for Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	100%	100%	100%	100%
BSA	Type B - X.75 PKT Sw	Pkt.Swtg Network Svc-X.75	100%	100%	100%	100%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	69%	69%	69%	69%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	31%	31%	31%	31%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	31%	31%	31%	31%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Swd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	100%	100%	100%	100%
BSE	Fast Select Request Pkt	Fast Select	100%	100%	100%	100%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	0%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	0%	100%	100%	100%
BSE	Cllg Bllg Num Deliv FGB	Automatic No.ID	0%	100%	100%	100%
BSE	Cllg Bllg Num Deliv FGD	Automatic No.ID	0%	0%	0%	0%
BSE	Cllg DA Deliv via ICLID	Caller ID	0%	100%	100%	100%
BSE	CXR Select On Rvse Chrg	800 Service	0%	100%	100%	100%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	0%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	0%	0%	0%	0%
BSE	Multiline Hunt Group	Hunt Group Arrangement	0%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	0%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	0%	100%	100%	100%
BSE	Three Way Call Transfer	User Transfer	0%	100%	100%	100%
BSE	Remote Call Forwarding	Foreign Exchange	0%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	0%	100%	100%	100%
BSE		Bldd No. Screen'g (BNS)	0%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	100%	100%	100%	100%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	Controllink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	100%	100%	100%	100%
CNS	Fast Select Accept Pkt	Fast Select	100%	100%	100%	100%
CNS	Fast Select Request Pkt	Fast Select	100%	100%	100%	100%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	0%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	0%	100%	100%	100%

SUMMARY FOR MARKET AREA: YOUNGSTOWN-WARREN OH

al Access Lines in: YOUNGSTOWN-WARREN Total = 4234

Percentage Availability of ONA Services By Date for Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intraswitch	Call Fwd Bsy Li - Fixed	0%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	0%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	0%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	0%	100%	100%	100%
CNS	CF Dont Ans Intraswitch	Cl Fwd-No Ans-Fixed	0%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	0%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0%	100%	100%	100%
CNS	CF - Variable	Variable Cl Fwd'g	0%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0%	100%	100%	100%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	0%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	0%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	0%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	0%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	0%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	0%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	0%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	0%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	0%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	0%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	0%	100%	100%	100%
		Busy Number Redial	0%	100%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	0%	100%	100%	100%
CNS	Call Waiting	Call Waiting	0%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	0%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	0%	100%	100%	100%
CNS		Clb Frwd'g Fixed-All clls	0%	100%	100%	100%
CNS		Clb Frwd Bsy No Ans.Fixed	0%	100%	100%	100%
CNS		Special Call Waiting	0%	0%	0%	0%
CNS		Special Call Acceptance	0%	0%	0%	0%
CNS		Anonymous Call Rejection	0%	0%	0%	0%
CNS		Blld No. Screen'g (BNS)	0%	100%	100%	100%
CNS		Call Restriction Service	0%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	0%	100%	100%	100%

SUMMARY FOR MARKET AREA: YUBA CITY

CA

31 Access Lines in: YUBA CITY Total = 245

Percentage Availability of ONA Services By Date for

Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
BSA	Type A - X.25 Pkt Sw	Pkt.Swtg Network Svc-X.25	0%	0%	0%	0%
BSA	Type B - X.75 Pkt Sw	Pkt.Swtg Network Svc-X.75	0%	0%	0%	0%
BSA	Type C-Dedicated Voice Gr	Voiceband	100%	100%	100%	100%
BSA	Type D-Dedicatd Prg Audio	Program Audio	100%	100%	100%	100%
BSA	Dedicated Video	Videoband	100%	100%	100%	100%
BSA	Type F - Ded <64kbps	Digital Data Svc-DDS	0%	0%	0%	0%
BSA	Type G - Ded 1.544Mbps	Hi Cap Digital DS1 Svc	0%	0%	0%	0%
BSA	Type H - Ded > 1.544Mbps	Hi Cap Digital DS3 Svc	0%	0%	0%	0%
BSA	Dedicated Alert Transport	Alarm Signal Transport Sv	0%	0%	0%	0%
BSA	Dedicatd Ntwk Access Link	Data Link	100%	100%	100%	100%
BSA	Type K-Ded Digital 64kbps	Digital Data Svc (DDS)	0%	0%	0%	0%
BSA	Type A - Ckt Sw Line	Voice Grade Line Ckt Sw'd	100%	100%	100%	100%
BSA	Type B - Ckt Sw Trunk	Voice Grade Trunk Ckt Swd	100%	100%	100%	100%
BSE	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
BSE	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
BSE	Acc To Clr Ch Transmissn	Clear Channel Capability	100%	100%	100%	100%
BSE	Automatic Protect Switchg	Automatic Protection Sw	100%	100%	100%	100%
BSE	Bridging	Bridging	100%	100%	100%	100%
BSE	Conditioning	Conditioning	100%	100%	100%	100%
BSE	Data Over Voice (DOV) Svc	DOVConnect	100%	100%	100%	100%
BSE	Secondary Ch Capability	DDS Secondary Channel	100%	100%	100%	100%
BSE	Alternate Routing	Alternate Routing	100%	100%	100%	100%
BSE	Cld Dir.No. Deliv via DID	Direct Inward Dialing	0%	0%	0%	0%
BSE	Clbg Blg Num Deliv FGB	Automatic No.ID	0%	0%	0%	0%
BSE	Clbg Blg Num Deliv FGD	Automatic No.ID	0%	0%	0%	0%
BSE	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
BSE	CXR Select On Ryse Chrg	800 Service	0%	0%	0%	0%
BSE	Message Desk (SMDI)	Frwd Cl Info-Intraoffice	100%	100%	100%	100%
BSE	MWI- Activation Audible	Msg Waitng Indica. Audibl	100%	100%	100%	100%
BSE	Multiline Hunt Group	Hunt Group Arrangement	100%	100%	100%	100%
BSE	MLHG-UCD Line Hunting	Uniform Call Distribution	100%	100%	100%	100%
BSE	MLHG - UCD With Queuing	Queuing	0%	0%	0%	0%
BSE	Three Way Call Transfer	User Transfer	0%	0%	0%	0%
BSE	Remote Call Forwarding	Foreign Exchange	100%	100%	100%	100%
BSE	Route Diversity	Diversity Routing	0%	0%	0%	0%
BSE		Blld No. Screen'g (BNS)	100%	100%	100%	100%
BSE		Multiplexing Arrangements	100%	100%	100%	100%
BSE		Signaling Arrangements	100%	100%	100%	100%
BSE		Priority Packet	0%	0%	0%	0%
BSE		MegaConnect Svc (SMDS)	0%	0%	0%	0%
BSE		MWI-Audible Ring Burst	0%	0%	0%	0%
BSE	Hi Cap Hand-Off Svc	ControlLink DCS	100%	100%	100%	100%
CNS	Call Det Recd'g Rpts- Pkt	Call Detail - Packet	0%	0%	0%	0%
CNS	Fast Select Accept Pkt	Fast Select	0%	0%	0%	0%
CNS	Fast Select Request Pkt	Fast Select	0%	0%	0%	0%
CNS	Derived Ch (Monitoring)	ScanAlert	0%	0%	0%	0%
CNS	Automatic Callback	Automatic Busy Redial	100%	100%	100%	100%
CNS	Automatic Recall	Automatic Call Return	100%	100%	100%	100%

SUMMARY FOR MARKET AREA: YUBA CITY

CA

Access Lines in: YUBA CITY Total = 245

Percentage Availability of ONA Services By Date for Total

Type	Generic Name of ONA Serv	Product Name of ONA Serv	12/31/1995	12/31/1996	12/31/1997	12/31/1998
CNS	CF Busy Line Intrswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CF Busy Line Interswitch	Call Fwd Bsy Li - Fixed	100%	100%	100%	100%
CNS	CFBL/DA-Cust Act/Deact	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CFBL/DA-Cust Fwd To No.	Cl Fwd-B/No Ans- Variable	100%	100%	100%	100%
CNS	CF Dont Ans Intrswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Dont Ans Interswitch	Cl Fwd-No Ans-Fixed	100%	100%	100%	100%
CNS	CF Mult Sim Call Intersw	Cl Fwd'g - Multipath	0%	0%	0%	0%
CNS	CF - Variable	Variable Cl Fwd'g	100%	100%	100%	100%
CNS	CF Var Act w/o Crtsy Cal	Variable Call Forwarding	0%	0%	0%	0%
CNS	CF Var - Remote Act/Cont	Remote Access-CF Variable	100%	100%	100%	100%
CNS	Call Waiting - Cancel	Cancel Call Waiting	100%	100%	100%	100%
CNS	Clbg DA Deliv via ICLID	Caller ID	100%	100%	100%	100%
CNS	Customer Originated Trace	Call Tracing Service	100%	100%	100%	100%
CNS	Distinctive Ringing	VIP Alert	100%	100%	100%	100%
CNS	Dist Ring Term Screen	Smart Ring	100%	100%	100%	100%
CNS	Hot Line	Auto Ring Dwn Ckt Signal	100%	100%	100%	100%
CNS	MWI-ATR Audible Msg Wtg	MWI Rcv Audible Waiting	100%	100%	100%	100%
CNS	Selective Call Forward'g	Special Call Forwarding	100%	100%	100%	100%
CNS	Selective Call Rejection	Call Block	100%	100%	100%	100%
CNS	Speed Calling	Speed Clbg - 8 & 30 Nos.	100%	100%	100%	100%
		Busy Number Redial	100%	100%	100%	100%
CNS		Saved Number Redial	0%	0%	0%	0%
CNS		Last Number Redial	100%	100%	100%	100%
CNS	Call Waiting	Call Waiting	100%	100%	100%	100%
CNS	Three Way Calling	Three Way Calling	100%	100%	100%	100%
CNS	Remote Call Forwarding	Remote Call Forwarding	100%	100%	100%	100%
CNS		Cl Fwd'g Fixed-All clls	100%	100%	100%	100%
CNS		Cl Fwd Bsy No Ans.Fixed	100%	100%	100%	100%
CNS		Special Call Waiting	100%	100%	100%	100%
CNS		Special Call Acceptance	100%	100%	100%	100%
CNS		Anonymous Call Rejection	0%	0%	0%	0%
CNS		Bld No. Screen'g (BNS)	100%	100%	100%	100%
CNS		Call Restriction Service	100%	100%	100%	100%
CNS		MWI Abl Rcv Adbl Rng Brst	0%	0%	0%	0%
CNS		GTE Dial DataLink	100%	100%	100%	100%
CNS		Cust.Controllable Ringing	100%	100%	100%	100%

ATTACHMENT 2

New ONA service requests from ESPs and ONA service requests that were previously deemed technically infeasible.

GTE reports on the disposition of the ONA service requests received between July 1, 1995 and June 30, 1996 through the 120-day process, using the following classifications:

Category A - Available

The requested service is available (or will be upon tariff approval).

Category B - Under Development

The requested service is under development and should be available within one year of response to the ESP.

Category C - Deferred

The requested service is not currently available (i.e., technical reasons), but conditions could change in the future that would change the status. The request is deferred and will be reevaluated within a time frame specified in the response to the ESP.

Category D - Under Assessment

The request is currently being evaluated within the 120-day assessment period.

Category E - Closed

The request cannot be met for the reason specified in the response to the ESP, or the ESP cancels the request or chooses no further activity at any time during the assessment process.

GTE has received one completed ONA new service request and its disposition is as follows:

<u>Category</u>	<u>No. of Requests</u>	<u>Description</u>
D	1	Fixed Call Forwarding to Multiple Simultaneous Call Paths

**GTE CORPORATION (GTE)
3-YEAR DEPLOYMENT SCHEDULES**

JULY 31, 1996

The attached deployment schedules reflect GTE projections concerning the status of hardware and software that are needed to technically allow deployment of the identified services.

Regulatory approvals, market and economic conditions, technological changes, capacity limitations and feature package availabilities are uncertain. Moreover, the data used for the projections contained in these schedules have been extracted from "live" databases. As is normally true for any large interactive working database, occasional errors and inconsistencies occur. Thus to confirm availability of the services in specific wire centers, customers will need to contact GTE.